

City Of Sedona Community & Economic Development Department

102 Roadrunner Drive Sedona, AZ 86336 (928) 282-1154 • Fax: (928) 204-7124

The Swimming Pools, Spas, and Hot Tubs Building Permit Packet includes the following:

- 1. Residential Building Permit Application
- 2. Color and Material Sample Sheet (for pool barriers)
- 3. Outdoor Lighting Application
- 4. Owner-Builder/Developer Statement
- 5. CEF instructions
- 6. Pool Barriers Spec/Info Sheet
- 7. Underground Color Code/Blue Stake Info
- 8. Customer Survey Form

Although you are building under the main jurisdiction of the City of Sedona, the information contained in this application packet may not list all requirements or regulations specific to your individual building project. If you need detailed information regarding specific requirements within your project, it is recommended that you contact the following agencies or offices with your concerns:

- City of Sedona Building Safety Division 928-282-1154
- Yavapai County 928-639-8100
- Coconino County 928-774-5011
- Sedona Fire District 928-282-6800
- Arizona Public Service 928-282-4000
- AZ Water Company 928-282-5555
- Unisource Gas Company 928-282-3919
- Your Homeowners Association (if applicable)

Relevant Ordinances & Timelines

The relevant ordinances governing this permit are:

- City of Sedona Land Development Code requirements, Articles 1-19 www.codepublishing.com/AZ/sedona/ldc.html
- City of Sedona City Code, Chapter 15 Buildings and Construction www.codepublishing.com/AZ/sedona
- Per these Ordinances, established by the Sedona City Council and Community and Economic Development Department, the following time frame applies:

Administrative Completeness	Substantive Review Time Frame	Overall	Authorizing Code
21 calendar days	21 calendar days	42 calendar days	City Code Title 15

NOTICE:

All applicants are entitled to request and receive a clarification from the City of Sedona regarding it's interpretation or application of any statute, ordinance, code or authorized substantive policy statement as required by Arizona Law, A.R.S. §9-836. You should send a written request, by letter or email, identifying the provision needing clarification, any facts relevant to the requested ruling, your proposed interpretation, and if the issues concern an existing license or a license application

STEPS FOR OBTAINING A PERMIT

The Steps for obtaining a Swimming pool, Spa and Hot Tub building permit are as follows:

- Complete application. The application can be downloaded from the Community and Economic Development website at sedonaaz.gov/cd. Click on the "Permits" button on the left hand side of the Community and Economic Development web page.
- 2. If access to the Internet is not available, a paper copy can be obtained from the City of Sedona Community and Economic Development Department at 104 Roadrunner Drive or by calling 928-282-1154.
- 3. Applicant must complete the application and submit it to the Community and Economic Development Department. Complete instructions, necessary information and applicable fees are included in the Swimming pool, Spa and Hot Tub Building Permit application. Upon receipt of the application, Community Development Department and Public Works staff will review the application. Applications considered deficient will be returned.
- 4. Upon final review and approval by Community and Economic Development Department and Public Works staff, the Community Development Department will issue the permit at the front counter.

Staff Contacts

- For general questions regarding the process for obtaining a Swimming Pool, Spa and Hot Tub Building Permit please contact the Community and Economic Development Department at 928-282-1154.
- For specific questions regarding grading, drainage or sewer capacity fees please contact Public Works at 928-204-7111.
- For specific questions regarding development impact fees, zoning or land use requirements, please contact a Planner at 928-282-1154.
- ➤ For specific questions regarding construction and building requirements, please contact the Plans Examiner, 928-282-1154.

PERMIT APPLICATION INSTRUCTIONS

The following outlines the typical information needed to obtain a building permit for a swimming pool, spa or hot tub and associated pool safety barriers.

Plan Review Information

■ PROJECT LOCATION

Community Development staff can assist you in providing the following information if you cannot obtain it on your own:

☐ ASSESSOR'S PARCEL #

☐ PROJECT ADDRESS

☐ LOT NUMBER and SUBDIVISION

OWNER INFORMATION

CONTRACTOR

Unless the project is exempt from state contracting license regulations, all work must be done by a licensed swimming pool contractor or individual specialty contractors. The project is exempt from contractor licensing regulations if:

- 1. It is not for sale or rent, AND
- 2. Is solely occupied by the property owner.

Public and semi-public pools and spas must be constructed by a licensed swimming pool contractor.

Any questions regarding contractors or license regulations should be directed to the Registrar of Contractors in Phoenix (602-542-1525) or Flagstaff (520-526-2325).

If a swimming pool contractor will be used or is required for your project, the State regulations require that you provide:

П	CONT	RAC	TOR	NAME	ΔND	ממע	RFSS
	CONT	-	1011	IAUIAIF	\neg	\neg	コハレココ

- ☐ LICENSE NUMBER AND TYPE
- ☐ SALES TAX NUMBER

If the project is exempt from licensing regulations and the owner is hiring licensed specialty contractors for the work, indicate "Owner" for CONTRACTOR and complete the "Owner-Builder/Developer Statement" provided by this department..

■ ARCHITECT / DESIGNER

Professional design is recommended but not required. However, plans may be returned prior to review if they are considered deficient. The plans examiner may also require engineering for certain elements of the structure.

Plan Review Deposit & Fees

A Plan Review Deposit is required at the time an application is made for a building permit. The deposit usually covers the total cost of the permit. Additional plan review and/or permit fees may be assessed if the project involves substantial grading, retaining walls or revisions to the original approval.

The following are the plan review deposits and permit fees for new swimming pools spas and hot tubs, including the pool safety barriers:

In-ground swimming pools \$200 (\$50 deposit)

Above-ground swimming pools, spas, hot tubs and fountains \$50 (\$50 deposit).

Plans Required

- ☐ 5 Complete Sets of Plans
 With one extra site plan attached to APS form, when applicable.
- All plans shall be drawn to scale and dimensioned.
- Plans must be clear and legible and present enough information to allow a thorough review to be performed by zoning, engineering, flood control and building safety staff members.
- Plans considered deficient will be returned before processing the application.

SITE AND GRADING PLANS

(Scale: minimum 1"=20')

- Provide north arrow. Label all streets and highways.
- ☐ Show property lines, easements, and edge of street pavement.
- ☐ Locate all existing buildings, decks and covered patios.
- ☐ Show pool location, fences, and gates.
- ☐ Dimension distance of pool from property lines and all buildings, decks and covered patios.
- ☐ Show all native vegetation and trees. Indicate canopy size and species. Indicate those to be removed.
- ☐ Indicate location of proposed construction envelope

	and natural vegetation to be preserved. Provide construction envelope fence for preservation.	☐ Indicate method of barrier at house walls.
	Show existing and proposed topographic contours	Copies of City Code specifying the minimum
	(min 2' contour).	requirements for pool barriers are available from
		Community Development.
	of walls, fences and retaining walls	community bevelopment.
		EXTERIOR PAINT AND FINISHES
	The state of the s	☐ Indicate the type of material, finish and color of
	and the second s	fences, gates and retaining walls. Paint or color
_	fields.	samples may be required.
Ц	, it is a second of the second	
	underground drainage devices.	Except for natural wood finishes, exterior paints and
	The state of the s	materials must have a light reflectance value (LRV) of
	of screening the equipment.	38% or less and a chroma meeting the requirements of
	POOL AND EQUIPMENT LAYOUT	the Munsell Color Book. All chainlink fencing must be
	Show piping layout. Indicate pipe size, outlet, inlet	vinyl coated or painted to comply with LRV and chroma
_	and skimmer locations.	standards.
		Design Criteria and Adopted Codes
	and heaters.	☐ 2005 National Electrical Code
	Show location and size of electric subpanels,	☐ 2006 International Residential Code
	feeders and branch circuits.	☐ City Code Article 7-1-2 KK. Pool Barriers
	Show location and size of gas piping.	= only south middle / 12 kk. 1 ool barriers
	S and provide contraction and for	Public and Semi-Public Pools & Spas
-	enclosed gas fired equipment.	County and /or State health department approval is
	, , , , , , , , , , , , , , , , , , , ,	required for public and semi-public pools and spas. A
	lighting, receptacles and switches. Provide GFI	copy of the permit needs to be provided this
	protection and clearances to pool as required by	department prior to issuance of a City permit.
	NEC Article 680.	
	Indicate bonding, grounding, and raceway materials in accordance with NEC Article 680.	You may contact the following agency for additional
		information:
_	prevention.	Arizona Department of Environmental Quality
	Specify area and method of disposing of pool filter	2005 N. Central Avenue Phoenix, AZ (602) 207-2300
	backwash.	Subdivision Approval
NO		Deed restrictions may require that each owner obtain subdivision architectural committee approval prior to
	ol filter backwash must be disposed of on site	beginning construction. It is the responsibility of the
	hout runoff into adjacent properties, washes or	property owner to contact their subdivision's
	olic streets. Backwash cannot be discharged into any	committee in order to comply with regulations.
sew	ver or individual waste disposal system.	The second of th
	STRUCTURAL SECTIONS	Processing Times
	Show pool wall construction, thickness and	Plans and permit applications are processed on a first
	reinforcement.	come first serve basis. Review times vary with the
	Provide details of supporting retaining walls.	complexity of the project, the current volume of permit
	Sections should show any adjacent footing that is <	applications, and the quality of the submittals received.
	10' from pool edge.	
		Subsequent submittals and additional time are
	POOL SAFETY BARRIERS	sometimes required to address significant corrections
	Indicate methods of providing pool safety barriers	or obtain other agency approvals before the permit can be issued.
	around the pool.	עב ושטעבע.

Expiration of Plan Review and Building Permits

Permit applications expire 180 days after the date of submittal, unless a building permit has been issued. Building permits expire 180 days after issuance, unless construction is commenced and diligently pursued to completion. Progress inspections must occur at least once every 180 days in order to maintain an active permit. You may request a permit extension by completing the applicable form from Community Development. An extension may be granted for unforeseeable and justifiable delays.

Construction Inspections

All of the customary inspections required for new structures are listed on the Job Card you receive when your permit is issued. The following are the minimum inspections necessary:

- PRE-GUNITE AND ELECTRICAL
- GAS LINE TEST
- PRE-PLASTER BARRIER
- POOL AND SAFETY BARRIER FINAL

Additional inspections may be required for retaining walls or other structures related to the pool installation. You may

contact the building division staff in order to determine the specific inspections required for your project.

It is the customer's responsibility to call for all required inspections. No portion of the construction work may be covered, concealed or put into use until approved by the inspector. *Pool safety barriers must be in place prior to filling the pool with water.*

A final inspection of the project must be requested prior to putting the pool or spa into use. Failure to request a final inspection or provide safety barriers may result in the issuance of a Civil Citation.

Inspections are conducted between 7:30 a.m. and 4:00 p.m. Monday through Friday. Inspections are scheduled by calling 282-3268 and leaving a voice message. Please leave permit number and type of inspection. Calls received before 7:00 a.m. can be scheduled for inspection that same day.

Building Permit Not Required

A building permit is NOT REQUIRED for prefabricated swimming pools accessory to Group R-3 occupancies, which are less than 18 inches in depth and less than 8 feet in all dimensions and constructed entirely above ground.

Even though a building permit is not required, the following conditions apply to the pool:

- ☐ The pool cannot be located in front of the principal residence.
- ☐ The pool cannot be located closer than 10 feet to any other structure.
- ☐ The pool must be at least 5 feet from side and rear property lines.
- Any pool more than 18 inches deep or greater than 8 feet in any dimension must have a pool barrier.

Contact Community Development staff prior to installing your pool if you have any questions.

Residential Building Permit Application



City Of Sedona Community & Economic Development Department

102 Roadrunner Drive Sedona, AZ 86336 (928) 282-1154 • Fax: (928) 204-7124

Check <u>all</u> that apply:	☐ New Construction ☐ Demo	☐ Addition	☐ Alteration	□ Mobil	e Home Setup
PRIMARY CONTACT:		Phone:	100	Permit #:	7-1
Address:	The state of the s	Cell Phone:		Parent Permit #:	
E-mail:		Fax:		Date Rec'd:	
Job Site Address:		Parcel #:		Deposit Pd::	
Subdivision Name:		Lot #:	4		
Condos- Bldg Name:		Unit #:		=	
Manuf. Homes- Park Name:	THE STATE OF THE S	Space #:		Project Valuation*:	
	*	(do not include cosr	metic improvements		t and carpet)
Scope of Work:		17, 1,0			
				77.20	
OWNER NAME:		CONTRACTOR NAME:			
Address:		Company:			
Phone:		Address:			
Cell Phone:	A TO	Phone:			
E-mail:		Cell Phone:			
		E-mail:			
	414	City Business License #:	V (2)		
		ROC State License #:			
ARCHITECT:		ENGINEER:	VII. 1 1991 1 1992 1 1 1 1 1 1 1 1 1 1 1 1 1		
Company:	100 100 100 100 100 100 100 100 100 100	Company:			
Address:		Address:			
Phone:		Phone:			
Cell Phone:	ar på Sicifica at object på	Cell Phone:			
E-mail:		E-mail:			
ID #/Exp. Date:		ID #/Exp. Date:			
City Business License #:		City Business License #:	9 (2-7) (10-7)		

	Existing Sq. Ft.	New Sq. Ft.		Existing Sq. Ft	New Sq. Ft.
Basement	:		Garage:		
1 st Floor	:		Covered Deck:		
2 nd Floor	•		Covered Porch:		
3 rd Floor			Uncovered Deck:		
Total			Other:		
			Number of Bedrooms:		
ire Sprinklers?	☐ Yes ☐ No				_
ype of onstruction:					
MECHANICAL (ind	icate the number of	each new and/o	or relocated fixture type in t	he space below)	
Air Conditioner/He		Gas Coo		Wall He	ater
ans-stationary, in	cl. whole house	Gas Drye	er	Vents/S	ingle Duct
ireplace insert		Gas Pipir	ng (# of outlets)	Water H	eater
urnace < 100,000	ce < 100,000 BTUs		Gas Stove/Range		
Other:		Other:		Other:	
PLUMBING (indic	ate the number of ϵ	ach new and/or	relocated fixture type in the	space helow)	
Bathtub			Bath/Laundry Sink	Hose Bik	ob
Shower/Tub Comb	00	Dishwas	her	Modula: Connect	Building
Toilet		Clothes	Washer	Connect	1011
Other:		Other:			
M/	V 51N	15			C.F
Water Service: 🗆	Yes 🗆 No	ir yes, siz	e of pipe:	lotal # c	of Fixtures:

Color and Material Samples



City Of Sedona Community & **Economic Development Department**

102 Roadrunner Drive Sedona, AZ 86336 (928) 282-1154 · Fax: (928) 204-7124

All exterior colors must meet City color requirements for light reflective value (LRV)
and chroma, as described in SLDC 904 and shown in the Munsell Book of Color,
available for review in the Community & Economic Development Department

Date Rec'd:	
Staff Initials:	
Approved:	
Not Approved:	

nity & Economic Development Department.	Approved:
	Not Approved:
Owner	
Phone:	
Contact	
No.:	
EXTERIOR TRIM	VI COLOR
Paint manufactu	irer:
Paint name:	
	(ATTACH SAMPLE)
FENCE/WALL C	OLOR (if applicable)
Paint manufactur	rer:
Paint name:	
LE)	Contact Phone: Plan Check No.: EXTERIOR TRIN Paint manufactur Paint name: FENCE/WALL C Paint manufactur

IMPORTANT:

Remember to indicate all exterior materials on the submitted sample board (e.g. stucco, wood siding, red rock, etc.). When necessary, exterior material samples will be required by the Director and must be provided.

Applicant Signature

Outdoor Lighting Application Part 1



City Of Sedona Community & Economic Development Department

102 Roadrunner Drive Sedona, AZ 86336 (928) 282-1154 • Fax: (928) 204-7124

Applicant Name:	Phone:	Permit # B
Address:	Cell Phone:	Date Rec'd
E-mail:	Fax:	Staff Initials
The following is for COMMERCIA	AL only.	Approved: Yes No
2. Site Identification		
Parcel #:		
Building Site Location:		
Business Name (if applicable):		
3. Lumen Information for Non-	residential and Multi-family Use Only: - Co	mmercial only
Gross acres of entire site:		ercial city
Acres for Public Right-of-Way:		
Net Acreage of Site:	X 100,000* =	
4. Type of Shielding and Lumen	s Proposed: - Commercial only -See Lumen (Calculation Table (page 2)
Fully Shielded Fixtures - Lumens Pro	posed:	
Partially Shielded Fixtures - Lumens	Proposed:	
TOTAL LUMENS PROPOSED: (fully + partially shielded fixtures)		

^{*}Total outdoor light output shall not exceed 100,000 lumens per net acre for all development except single-family residential uses. This cap is not intended to be achieved in all cases or as a design goal. Instead, design goals should be the lowest levels of lumens necessary to meet the lighting requirements of the site. Partially shielded light fixtures are limited to a maximum of 5,500 lumens per net acre and are counted towards the 100,000 lumens per net acre cap.

Outdoor Lighting Application Part 2 – Inventory

Lighting Inventory and Lumen Calculation Table

- Refer to page 3 for an example of a plan view diagram and completed table.
- List all new or proposed lighting first, then any existing light.
- Include any lighting proposed for external illumination of signs.
- Attach photometric data sheet or manufacturer's product description for all lights, both new and existing (must
 include lumens). If such data is not available for existing fixtures that will be retained, include photographs of the
 fixtures showing sufficient detail to determine the shielding characteristics.
- Please include a Site Plan identifying all proposed and existing lighting fixtures.

Lamp Type Key:	LPS	Low Pressure Sodium	Shielding Key:	F	Fully Shielded
	HPS	High Pressure Sodium		P	Partially Shielded
	MH	Metal Halide		U	Unshielded
	FI	Fluorescent			

IN Incandescent (including quartz-halogen)

Plan Key (ID)*	Light Class (1, 2, or 3)	Lamp Type (LPS, HPS, MH, FL, IN)	Initial Lumens	No. of Units	Shielding (F, P, or U)	Watts (each)	New or Existing (N or E)	Total Lumens
7.5								
								-
						Tot	al Lumens =	

^{*}Plan key identification in first column must correspond to labeling on site plan map below.

Please attach a site plan (see following example) of your structure and locations for the new and existing exterior lighting.						
Applicant Signature:	Date:					

Outdoor Lighting Application Example Inventory

Example of a Lighting Inventory and Lumen Calculation Table

Plan Key (ID)*	Light Class (1, 2, or 3)	Lamp Type (LPS, HPS, MH, FL, IN)	Initial Lumens	No. of Units	Shielding (F, P, or U)	Watts (each)	New or Existing (N or E)	Total Lumens
Α	1	FL	2,975	7	F	35	N	20,825
В	1	IN	1,750	6	F	100	N	10,500
С	2	LPS	13,500	2	F	135	N	27,000
D	1	MH	16,000	2	F	250	N	32,000
						Tot	al Lumens -	00 335

^{*}Plan key identification in first column must correspond to labeling on site plan map, as shown below.

Lamp Type Key: LPS Low Pressure Sodium

HPS High Pressure Sodium

MH Metal Halide

FL Fluorescent


IN Incandescent (including quartz-halogen)

Shielding Key: F Fully Shielded

P Partially Shielded

J Unshielded

Example - Plan View:



· · · · · · · · · · · · · · · · · · ·

Owner-Builder/Developer Statement Part 1 - Exemption from Contractor Licensing Requirements



City Of Sedona Community & Economic Development Department 102 Roadrunner Drive Sedona, AZ 86336 (928) 282-1154 • Fax: (928) 204-7124

Arizona Revised Statutes, 32-1121, items 1-16, allows exemptions from state licensing requirements under the following conditions (items 5 & 6 are common to the area and are reproduced below):

(Owner-Builder) Item 5. "Owners of property who improve such property or who build or improve structures or appurtenances on such property and who do the work themselves, with their own employees, or with duly licensed contractors, if the structure, group of structures or appurtenances, including the improvements thereto, are intended for occupancy solely by the owner and are not intended for occupancy by members if the public as the owner's employees or business visitors and the structures or appurtenances are not intended for sale or for rent. In all actions brought under this chapter, proof of the sale or rent, or the offering for sale or rent of any such structure by the owner-builder within one year after completion or issuance of a certificate of occupancy is prima facie evidence that such project was undertaken for the purpose of sale or rent. As used in this paragraph "sale" or "rent" includes any arrangement by which the owner receives compensation in money, provisions, chattels, or labor from the occupancy or the transfer of the property or the structures on the property."

(Owner-Developer) Item 6. "Owners of property who are acting as developers and who build structures or appurtenances to structures on their property for the purpose of sale or rent and who contract for such a project with a general contractor licensed pursuant to this chapter and owners of property who are acting as developers, who improve structures or appurtenances to structures to their project for the purpose of sale or rent and who contract for such a project with a general contractor or specialty contractors licensed pursuant to this chapter. To qualify for the exemption under this paragraph, the licensed contractors' names and license numbers shall be included on all sales documents."

NOTE: Commercial zoning requires commercially licensed contractors.

If an owner is allowed to utilize his own employees, the owner is required to: a) provide each employee with unemployment and workman's compensation insurance, b) have a Federal and State Tax I.D. number, and c) withhold and file Federal and State income tax for each employee.

Signature of Owner	Date
☐ The improvements will be occupied by the ge identified on the back of this form.	eneral public and all work will be done by licensed contractors
☐ The improvements are for sale or rent and all form.	I work will be done by licensed contractors identified on the back of this
☐ The structure is not for sale or rent and is sol e	ely owner occupied.
I CERTIFY THAT I AM NOT REQUIRED TO BE LICEN AUTHORIZED BY BUILDING PERMIT NO. B	ISED OR UTILIZE A LICENSED GENERAL CONTRACTOR FOR THE WORK ON THE BASIS THAT (check all that apply):

VIOLATION OF ARIZONA CONTRACTORS LICENSING IS A CLASS ONE MISDEMEANOR UNDER ARS 32-1151 AND 32-1154.

Owner-Builder/Developer Statement Part 2 - Licensed Contractors

ELECTRICAL CONTRACTOR		
Name:	Phone:	
Address:	License No.:	
	Sales Tax No.:	
MECHANICAL CONTRACTOR		
	DI	
Name:	Phone:	
Address:	License No.:	
	Sales Tax No.:	
PLUMBING CONTRACTOR		
Name:	Phone:	
Address:	License No.:	
	Sales Tax No.:	
OTHER CONTRACTOR (specify):	- 10 STEELE	24.572
Name:	Phone:	
Address:	License No.:	
	Sales Tax No.:	
OTHER CONTRACTOR (specify):		
Name:	Phone:	
Address:	License No.:	
	Sales Tax No.:	
OTHER CONTRACTOR (specify):		
Name:	Phone:	
Address:	License No.:	
	Sales Tax No.:	
OTHER CONTRACTOR (specify):		
Name:	Phone:	
Address:	License No.:	
riddi Coo.	Sales Tax No.:	
	Juica rux 140	

Requirements for Installation of Construction Envelope Fencing Prior to Issuance of a Building Permit



In order to preserve existing vegetation and limit access to a construction site, the City of Sedona requires that a Construction Envelope Fence (CEF) be installed and maintained on all active construction sites. Please keep the following information in mind when planning for and installing your CEF:

- The location of the CEF must be shown on the site plan submitted for building permit review. Failure to show the location of the CEF will result in the plans being returned for corrections.
- The City's Building Inspector will check the CEF as a part of the first inspection on a project. If the CEF is not properly installed, a notice of correction will be issued and the project will not be permitted to proceed until the CEF is properly installed and reinspected.
- The CEF must be located on the construction side of all trees to be preserved. Additional trees to be preserved may be individually fenced off. SLDC Section 909.D defines how trees within the construction envelope should be protected:


"All trees which are to be saved within the construction envelope shall be fenced during construction to avoid compaction of the root system and low branches from being broken. Such a barrier shall be no smaller than the diameter of the drip line of the tree to be saved and shall be a minimum of three feet high, except that trees within three to five feet of a structure's walls or that overhang a driveway or patio may be exempt from the requirements of this section, provided that six or more inches of gravel is placed over that portion of the drip line to reduce compaction damage, and if it can be shown that construction activities would be unduly hindered by the fencing requirements. Other recognized procedures for tree preservation may be approved by the Director."

- Examples of acceptable and non-acceptable CEFs are on the back of this form.
- Once installed, the permitee is responsible for ensuring the CEF remains in place during the ENTIRE construction phase. Failure to maintain the CEF may result in the City issuing a Stop-Work Order for a permit until the CEF is reinstalled properly.


If you have any questions or need further clarification, please call the Community and Economic Development Department at 928-282-1154.

Minimum Requirements for the Installation of Construction Envelope Fencing


Acceptable




Non-Acceptable



footings are laid out.






If the well 1545' or more chove grade, 5:0" is required from the top of the fence to grade.


A querdrell is required if the pool deck slob accurs at the top of the well and slob to finish grade is 30" or more.

POOL FENCING AND WALLS




- 13/4" - 13/4

Station 1303(b) 6: Minimum. 9 6A. Chain link fencing.



POOL FENCES AND GATES.





Customer Satisfaction Survey



City Of Sedona Community & **Economic Development Department** 102 Roadrunner Drive Sedona, AZ 86336

(928) 282-1154 · Fax: (928) 204-7124

To help us provide better service, we would like your comments regarding our performance. Please take a moment to fill out this survey and let us know how we are doing

Date:			Time:			Who Assisted You:		
Staff was available to assist me: ☐ Strongly Agree ☐ Agree				☐ Disagree	□ s	trongly Disagree		
Staff was helpful, courteous and profes Strongly Agree Agree				ional: ☐ Disagree ☐ Strongly Disagree				
Staff provided clear, concise and accurding Strongly Agree			e information: □ Disagree	☐ Strongly Disagree				
Staff responded to my needs in a timely ☐ Strongly Agree ☐ Agree				manner: □ Disagree	☐ Strongly Disagree			
Staff kept me informed of progress and resolved problems clearly and promptly: ☐ Strongly Agree ☐ Disagree ☐ Strongly Disagree								
Overall service was: ☐ Excellent ☐ Good ☐ Fair			□ Poor					
Comments: Please explain	why you r	ated us	as you di	id and any suad	estio	ns as to how we migh	t improve	1
			•	, , ,				
Your Name:								1
Address:								1
Phone:								ĺ
May we contac	t you to fo	llow up	? [] Yes □ No				5

Please leave your completed survey at the front counter or mail to the address above or fax to: 928-204-7124. Thank you for your time - we appreciate your feedback!